

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S136	615635	clock nera5 cycle near5 (steal\$3 or suspend\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:30
S137	13627	wait near2 state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 08:55
S138	6535	S136 and S137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 08:56
S139	3753	(determin\$3 or check\$3 or evaluat\$3 or find\$3) with address\$3 near5 range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 08:59
S140	198	S138 and S139	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 08:59
S141	185	S140 and (micro\$1control\$3 or micro\$3processor or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:02
S142	190	clock near5 cycle near5 (steal\$3 or suspend\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:31
S143	882	clock near5 cycle near5 (steal\$3 or suspend\$3 or stop\$3 or halt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:31

S14 4	123	S137 and S143	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:32
S14 5	9	S139 and S144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:33
S14 6	50	S144 and (address near5 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:00
S14 7	441	extend\$3 near2 clock near2 (pulse or cycle or period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:02
S14 8	3	S139 and S147	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:02
S14 9	136	"jain raj"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:41
S15 0	5	S149 and pct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:39
S15 1	7	S149 and (wait near2 state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:39

S15 2	6135	(ready or full or available) with (flag or signal or indicat\$3 or bit) with (buffer or register or memory) with (cpu or processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:26
S15 3	441	extend\$3 near2 clock near2 (pulse or cycle or period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:26
S15 4	20	S152 and S153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:26
S15 5	6333	(ready or full or available) with (flag or signal or indicat\$3 or bit) with (buffer or register or memory) with (cpu or processor or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:32
S15 6	20	S153 and S155	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:27
S15 7	17	S156 and ((address near5 range) or (memory near5 space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:33
S15 8	5268	(ready or full or available) with (flag or signal or indicat\$3) with (buffer or register or memory) with (cpu or processor or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:32
S15 9	7640	(determin\$3 or check\$3 or evaluat\$3) with ((address near5 range) or (memory near5 space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:34

S16 0	291	S158 and S159	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:34
S16 1	0	(stop\$3 or halt\$3 or suspend\$3 or extend\$3 or steal\$3) near5 clcok	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:36
S16 2	23845	(stop\$3 or halt\$3 or suspend\$3 or extend\$3 or steal\$3) near5 clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:36
S16 3	21	S160 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:37
S16 4	611293	((program adj memry) or ROM or eprom or eerom)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:38
S16 5	17	S163 and S164	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:51
S16 6	779	ready adj flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:52
S16 7	113	(ready adj flag) with buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:52

S16 8	22	(ready adj flag) with buffer with (cpu or processor or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:56
S16 9	311	((ready or full) adj (flag or signal or indicat\$3)) with buffer with (cpu or processor or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:58
S17 0	22	((ready or full) adj (flag or signal or indicat\$3)) with (coupl\$3 or connect\$3) with buffer with (cpu or processor or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 14:20
S17 1	35	((ready or full) adj (flag or signal or indicat\$3)) with (coupl\$3 or connect\$3) with (buffer or register) with (cpu or processor or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:59
S17 2	37	((ready or full) adj (flag or signal or indicat\$3)) with (coupl\$3 or connect\$3) with (buffer or register) with (cpu or processor or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:14
S17 3	10	S164 and S172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 14:15
S17 4	28176	"711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 15:45
S17 5	618	S162 and S174	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 15:46

S17 6	44	S159 and S175	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:05
S17 7	1150	710/57-60.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:07
S17 8	166	S159 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:07
S17 9	0	S177 and S178	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:07
S18 0	1	S170 and S177	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:08

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	chang-sheng-tsai.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 07:18
L2	5	chi-chao-wen.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 07:17
L3	4866	(determin\$3 or judg\$3 or check\$3) with address with range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 07:25
L4	21938	(wait\$3 adj state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 07:25
L5	27659	711/1-3,101-105,111-115,,167. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 07:25
L6	963	L3 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 07:25
L7	91	L4 and L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 07:28
L8	301	L3 and L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 07:26
L9	799	712/1,38,43.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 07:26

L10	6	L8 and L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 07:26
-----	---	-----------	---	----	-----	------------------


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

[Search Results](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "(((extend &lt;or&gt; steal &lt;or&gt; stop &lt;or&gt; halt) &lt;sentence&gt; clock &lt;and&gt; range..."

Your search matched 15 of 1302021 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)
[New Search](#)

## Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

## Select Article Information

- ☐ 1. **An extended operation of three-phase SCCD's by controlled free-charge**  
Narayanan, L.S.; Bhattacharyya, A.B.;  
Electron Devices, IEEE Transactions on  
Volume 29, Issue 12, Dec 1982 Page(s):1897 - 1900  
[AbstractPlus](#) | Full Text: [PDF\(424 KB\)](#) IEEE JNL
- ☐ 2. **A 100-ps time-resolution CMOS time-to-digital converter for positron emission tomography imaging applications**  
Swann, B.K.; Blalock, B.J.; Clonts, L.G.; Binkley, D.M.; Rochelle, J.M.; Breedin K.M.;  
Solid-State Circuits, IEEE Journal of  
Volume 39, Issue 11, Nov. 2004 Page(s):1839 - 1852  
Digital Object Identifier 10.1109/JSSC.2004.835832  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1680 KB\)](#) IEEE JNL
- ☐ 3. **A low-power half-delay-line fast skew-compensation circuit**  
Yi-Ming Wang; Jinn-Shyan Wang;  
Solid-State Circuits, IEEE Journal of  
Volume 39, Issue 6, June 2004 Page(s):906 - 918  
Digital Object Identifier 10.1109/JSSC.2004.827800  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1120 KB\)](#) IEEE JNL
- ☐ 4. **Enhancing the monitoring range and sensitivity in CSRZ chromatic dispersion using a dispersion-biased RF clock tone**  
Nezam, S.M.R.M.; Ting Luo; McGeehan, J.E.; Willner, A.E.;  
Photonics Technology Letters, IEEE  
Volume 16, Issue 5, May 2004 Page(s):1391 - 1393  
Digital Object Identifier 10.1109/LPT.2004.826134  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(192 KB\)](#) IEEE JNL
- ☐ 5. **Multi-clock timed networks**  
Aziz Abdulla, P.; Deneux, J.; Mahata, P.;  
Logic in Computer Science, 2004. Proceedings of the 19th Annual IEEE Symp  
13-17 July 2004 Page(s):345 - 354  
Digital Object Identifier 10.1109/LICS.2004.1319629  
[AbstractPlus](#) | Full Text: [PDF\(578 KB\)](#) IEEE CNF

- ☐ 6. **Charge injection of analogue CMOS switches**  
Eichenberger, C.; Guggenbuhl, W.;  
Circuits, Devices and Systems, IEE Proceedings G  
Volume 138, Issue 2, April 1991 Page(s):155 - 159  
[AbstractPlus](#) | Full Text: [PDF\(400 KB\)](#) IEE JNL
  
- ☐ 7. **96-GHz static frequency divider in SiGe bipolar technology**  
Rylyakov, A.; Zwick, T.;  
Solid-State Circuits, IEEE Journal of  
Volume 39, Issue 10, Oct. 2004 Page(s):1712 - 1715  
Digital Object Identifier 10.1109/JSSC.2004.833562  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(688 KB\)](#) IEEE JNL
  
- ☐ 8. **A double-sampling extended-counting ADC**  
De Maeyer, J.; Rombouts, P.; Weyten, L.;  
Solid-State Circuits, IEEE Journal of  
Volume 39, Issue 3, March 2004 Page(s):411 - 418  
Digital Object Identifier 10.1109/JSSC.2003.822903  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(504 KB\)](#) IEEE JNL
  
- ☐ 9. **A 13.5-mW 5-GHz frequency synthesizer with dynamic-logic frequency di**  
Pellerano, S.; Levantino, S.; Samori, C.; Lacaita, A.L.;  
Solid-State Circuits, IEEE Journal of  
Volume 39, Issue 2, Feb. 2004 Page(s):378 - 383  
Digital Object Identifier 10.1109/JSSC.2003.821784  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(504 KB\)](#) IEEE JNL
  
- ☐ 10. **Clocking strategies and scannable latches for low power applications**  
Zyuban, V.; Meltzer, D.;  
Low Power Electronics and Design, International Symposium on, 2001.  
6-7 Aug. 2001 Page(s):346 - 351  
Digital Object Identifier 10.1109/LPE.2001.945430  
[AbstractPlus](#) | Full Text: [PDF\(572 KB\)](#) IEEE CNF
  
- ☐ 11. **Adapting power consumption to performance requirements in a MSP430**  
Cebrian, A.; Rey, J.; Tormos, A.; Millet, J.;  
Electron Devices, 2005 Spanish Conference on  
2-4 Feb. 2005 Page(s):83 - 86  
Digital Object Identifier 10.1109/SCED.2005.1504314  
[AbstractPlus](#) | Full Text: [PDF\(208 KB\)](#) IEEE CNF
  
- ☐ 12. **Acoustical localisation system for the tracking of underwater drifting floa**  
Du Chaffaut; Tiller; Gascard;  
OCEANS  
Volume 6, Part 1, Aug 1974 Page(s):139 - 144  
[AbstractPlus](#) | Full Text: [PDF\(400 KB\)](#) IEEE CNF
  
- ☐ 13. **A 1.8 V supply multi-frequency digitally trimmable on-chip IC oscillator w**  
**detection capability**  
Boas, A.L.V.; Soldera, J.B.D.; Olmos, A.;  
Integrated Circuits and Systems Design, 2004. SBCCI 2004. 17th Symposium  
7-11 Sept. 2004 Page(s):44 - 48  
[AbstractPlus](#) | Full Text: [PDF\(409 KB\)](#) IEEE CNF
  
- ☐ 14. **Fully-differential CMOS current-mode amplifiers and filters**  
Zelev, R.H.; Allstot, D.J.; Fiez, T.S.;  
Circuits and Systems, 1991. Conference Proceedings, China., 1991 Internation  
on

16-17 June 1991 Page(s):781 - 784 vol.2  
Digital Object Identifier 10.1109/CICCAS.1991.184477  
[AbstractPlus](#) | Full Text: [PDF](#)(272 KB) [IEEE CNF](#)

**15. Fully-differential CMOS current-mode circuits**

Zele, R.H.; Allstot, D.J.; Fiez, T.S.;  
Custom Integrated Circuits Conference, 1991., Proceedings of the IEEE 1991  
12-15 May 1991 Page(s):24.1/1 - 24.1/4  
Digital Object Identifier 10.1109/CICC.1991.164055  
[AbstractPlus](#) | Full Text: [PDF](#)(296 KB) [IEEE CNF](#)

[View Selected Items](#)[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2005 IEEE –